JOURNAL OF ALLOYS AND COMPOUNDS VOLUME 193, NUMBERS 1–2, MARCH 15, 1993

Contents

Symposium G: The Gschneidner Symposium

Metals, alloys and compounds – high purities do make a difference! 1
K. A. Gschneidner, Jr. (Ames, IA, USA)

Local structure evolution in hydrogen-induced amorphization of YFe_2 and YNi_2 Laves phases. 7
K. Suzuki and X. Lin (Sendai, Japan)

High temperature thermodynamics and applications of rare earth compounds containing oxygen and sulphur in fuel gas desulphurization and SO_x and NO_x removal 11
D. A. R. Kay (Hamilton, Ont., Canada), W. G. Wilson (Pittsburgh, PA, USA) and V. Jalan (Woburn, MA, USA)

Removal of oxygen from praseodymium by calcium vapour 17
O. Ogawa, K. Kamihira, C. Song, A. Ando and R. Hasegawa (Tokyo, Japan)

Spalling of the surface oxide formed on Ni–(20,40,60,80)Cr alloys with small additions of Ce and Si 20
T. Amano (Fujisawa, Japan) and T. Taguchi (Hiratsuka, Japan)

Pulsed electrodeposition of Dy–Fe 23
Y. Matsuda, T. Fujii, N. Yoshimoto, M. Morita (Ube, Japan) and M. Haga (Kobe, Japan)

Calciothermic reduction of mischmetal oxide and formation of $RmNi_5$ 26
Z. Li, K. Yasuda and K. Itagaki (Sendai, Japan)

Very high strain rate superplasticity in aluminium-based alloys produced from amorphous powders 29
K. Higashi, T. Mukai, S. Tanimura (Osaka, Japan), A. Inoue, T. Masumoto (Sendai, Japan) and K. Ohtera (Toyama, Japan)

Electrical conductivity of molten YCl_3–NaCl, YCl_3–KCl and YCl_3–$CaCl_2$ systems 33
J. Mochinaga, K. Fukushima, Y. Iwadate (Chiba, Japan), H. Kuroda (Tokyo, Japan) and T. Kawashima (Chiba, Japan)

X-ray diffraction and Raman spectroscopic study on the short-range structure of molten $CeCl_3$ 36
J. Mochinaga, M. Ikeda (Chiba, Japan), K. Igarashi (Nagoya, Japan), K. Fukushima and Y. Iwadate (Chiba, Japan)

Thermodynamics and phase equilibria for cerium and yttrium in the presence of oxygen and sulphur in nickel-base solutions 38
T. Du, L. Wang, A. Liu, Y. Wu and Y. Zhang (Beijing, China)

Observations of ordered Pd_7RE (RE≡Tb, Tm, Yb, Lu) phases in Pd–RE alloys. 41
K. Takao, Y. Sakamoto, T. Araki and H. Kohzuma (Nagasaki, Japan)

Electrochemistry of rare earth fluoride molten salts 44
A. Kaneko, Y. Yamamoto and C. Okada (Hyogo, Japan)

Symposium D: Catalysts

Role of rare earth oxides as transport media for rapid catalytic reactions 47
T. Inui (Kyoto, Japan)

Catalytic isomerization of *n*-butenes and hydrogenation over a samarium oxide and Ga_2O_3-modified samarium oxides 52
S. Tsuchiya, H. Yamaguchi, Y. Nakashima, Y. Sakata and H. Imamura (Ube, Japan)

Partial oxidation of alkanes and aromatics with activated oxygen over an $SmCl_3$-embedded graphite cathode 56
I. Yamanaka and K. Otsuka (Tokyo, Japan)

Activities of rare-earth-containing oxides as electrodes for oxide ion conductor 59
K. Eguchi, T. Inoue, T. Setoguchi and H. Arai (Fukuoka, Japan)

Preparation and catalytic properties of lanthanide-metal-dosed catalyst systems 62
H. Imamura, Y. Sakata and S. Tsuchiya (Ube, Japan)

Elsevier Sequoia

Catalytic activity of lanthanide-doped Y zeolite on the alkylation of benzene with 1-dodecene model reaction 65
L. B. Zinner, K. Zinner, M. Ishige (São Paulo, SP, Brazil) and A. S. Araujo (Natal, RN, Brazil)

Study of the reactivity of surface oxygen species on $SmMnO_3$ and $SmFeO_3$ catalysts 68
H. Lou, F. Ma, Z. Mao, H. Li and Y. Xu (Hangzhou, China)

Hydroxy acid-aided synthesis of perovskite-type oxides with large surface areas 70
Y. Teraoka, H. Kakebayashi, I. Moriguchi and S. Kagawa (Nagasaki, Japan)

The application of Ce–Zr oxide solid solution to oxygen storage promoters in automotive catalysts 73
M. Ozawa, M. Kimura and A. Isogai (Aichi, Japan)

Catalytic activity of amorphous lanthanum boron oxide for decomposition of azomethane 76
H. Imai and S. Wada (Yokohama, Japan)

Effect of atmosphere on decomposition of gadolinium-activated barium titanyl oxalate 79
Y.-H. Lee and Y.-S. Wu (Taipei, Taiwan)

Symposium A: Actinides

Spectroscopic and magnetic studies of tetravalent Pa and trivalent Th compounds 82
N. M. Edelstein and W. K. Kot (Berkeley, CA, USA)

Pressure-induced phase transitions in 5f and 4f metals and compounds 88
U. Benedict (Karlsruhe, Germany)

^{13}C NMR characterization of actinyl(VI) carbonate complexes in aqueous solution 94
D. L. Clark, D. E. Hobart, P. D. Palmer (Los Alamos, NM, USA), J. C. Sullivan (Argonne, IL, USA) and B. E. Stout (Cincinnati, OH, USA)

An NMR study of dioxouranium(VI)–CMPO complex 98
J. Sakamoto and C. Miyake (Osaka, Japan)

Some problems in nonstoichiometry of α-uranium sesquinitride 101
M. Katsura, M. Miyake (Osaka, Japan) and H. Serizawa (Ibaraki-ken, Japan)

On the formation of nitrogen-rich uranium sesquinitride by the reaction of uranium monocarbide with NH_3 104
M. Hirota, G. Furutani, M. Katsura and M. Miyake (Osaka, Japan)

Separation of actinoid(III) and actinoid(IV) by solvent extraction and adsorption 107
A. Kobashi, T. Tominaga (Tokyo, Japan), M. Hoshi, C. Yonezawa and M. Saeki (Ibaraki-ken, Japan)

Diffusion of uranium in titanium-doped uranium dioxide 110
T. Tsuji, S. Taguchi, M. Abe and K. Naito (Nagoya, Japan)

Magnetic studies on $BaUO_3$, $BaPrO_3$ and $BaTbO_3$ 113
Y. Hinatsu (Ibaraki, Japan)

A magnetic study of U–M–O ternary mixed oxides (M: Mn, Fe, Co, Ni, Cu) 116
C. Miyake, T. Kondo, T. Takamiya and Y. Yoneda (Osaka, Japan)

Magnetic study of new Pu(Mt: 3d, 4d or 5d transition metal)$_2Si_2$ intermetallic compounds 119
F. Wastin (Sendai, Japan), J. Rebizant, J. C. Spirlet, J. Fuger, B. Kanellakopulos (Karlsruhe, Germany) and V. Sechovsky (Prague, Czech Republic)

Equilibrium N_2 pressure–temperature–composition relationships for α-U_2N_{3+x} phase 122
T. Urabe, K. Takahashi, M. Katsura and M. Miyake (Osaka, Japan)

Symposium R: Superconductors

Pr and Cm in superconductor-related oxides 125
L. Soderholm and C.-K. Loong (Argonne, IL, USA)

Investigation of the electrical and magnetic properties of $YSr_{2-x}Ca_xV_3O_{9-y}$ 129
J. Meng, Y. Ren and Q. Su (Changchun, China)

Structural and physical properties of rare-earth- (R-) substituted $RBa_2Cu_4O_{8-d}$ superconductors 132
M. Kakihana, M. Yoshimura (Yokohama, Japan), H. Mazaki, H. Yasuoka (Yokosuka, Japan), S. Nishio, Y. Suzuki (Kawasaki, Japan), L. Börjessen and M. Käll (Gothenburg, Sweden)

Anisotropic properties of ^{89}Y nuclear magnetic resonance shift and relaxation in $YBa_2Cu_3O_{6+x}$ 135
T. Ohno, K. Mizuno, T. Kanashiro, Y. Kishimoto (Tokushima, Japan) and H. Alloul (Orsay, France)

The effect of the heat treatments on the physical properties of $YBa_2(Cu_{1-x}Fe_x)_3O_y$ 139
S. Katsuyama, K. Majima, H. Nagai (Osaka, Japan) and K. Kosuge (Kyoto, Japan)

Superconductivity and rare-earth paramagnetism in $Pr_{1.85}Ce_{0.15}CuO_4$ 142
C.-K. Loong and L. Soderholm (Argonne, IL, USA)

Electrochemical preparation of Y–Ba–Cu oxide layer on copper 145
K. Mase (Saitama, Japan)

Symposium C: The Caro and Judd Symposium

Theory and experiment in rare earth spectroscopy: successes and failures of computer simulations. 148
P. Caro (Paris, France)

Symmetries of the f shell 155
B. R. Judd and G. M. S. Lister (Baltimore, MD, USA)

Additional operators for crystal field and transition intensity models 160
M. F. Reid (Hong Kong, Hong Kong)

Some experience with absorption, phonon Raman, and luminescence spectroscopic probes of crystal structure of f-element compounds 165
J. R. Peterson (Knoxville, TN, USA)

Hybridization, crystal field and magnetism in rare earths and core level spectroscopy. 170
T. Jo and S. Imada (Toyonaka, Japan)

Rare earth ions as spectroscopic probes of dynamic properties of insulators 175
W. M. Yen (Athens, GA, USA)

Group-theoretical analysis of correlation crystal field models 180
T. S. Lo and M. F. Reid (Hong Kong, Hong Kong)

J-mixing effect on the vibronic spectra of Eu^{3+} ions 183
M. Tanaka and T. Kushida (Osaka, Japan)

Energy transfer from the excited uranyl ion to various lanthanide ions in aqueous solution. 186
T. Yamamura, Y.-Y. Park and H. Tomiyasu (Tokyo, Japan)

Optical properties of Pr^{3+} in alkali zinc borosulphate glasses 189
V. V. Ravi Kanth Kumar, C. K. Jayasankar (Kurnool, India) and M. F. Reid (Hong Kong, Hong Kong)

Valency states and spectral characteristics of samarium in $MeBeF_4$ (Me ≡ Ca, Sr, Ba) 192
C. Shi and Z. Cao (Changchun, China)

Polarized Raman spectra of single-crystal lanthanide oxychlorides 194
G. D. Del Cul (Oak Ridge, TN, USA), S. E. Nave (Aiken, SC, USA) and J. R. Peterson (Knoxville, TN, USA)

Two-body operators for the f shell. 197
H. J. Kooy and M. F. Reid (Hong Kong, Hong Kong)

Comparative analysis of free-ion energy levels of Er^{3+} ($4f^{11}$) in various crystal hosts 203
C. K. Jayasankar, A. Renuka Devi, E. Rukmini (Kurnool, India) and M. F. Reid (Hong Kong, Hong Kong)

Phonon sideband spectra and local structure around Eu^{3+} ions in sodium germanate glasses 207
S. Todoroki, K. Hirao and N. Soga (Kyoto, Japan)

Applied correlated crystal field 210
M. Faucher, D. Garcia and O. K. Moune (Meudon, France)

Spin parameters for the rare earth ion Gd^{3+} in some fluorite complexes 213
Y. Y. Yeung (Hong Kong, Hong Kong)

Electron spin resonance study of Gd(III) ions bound to iron binding sites in chicken ovotransferrin 216
T. Uemura (Ibaraki, Japan) and T. Yamamura (Hyogo, Japan)

Symmetry adaptation techniques in *n*-photon absorption spectroscopy 219
M. Daoud and M. Kibler (Villeurbanne, France)

Symposium S: The Sagawa and Buschow Symposium

The importance of ternary intermetallic compounds in science and technology 223
K. H. J. Buschow (Eindhoven, Netherlands)

Present status of hydrogenation–decomposition–desorption–recombination process as applied to the production of magnets 231
T. Takeshita (Saitama, Japan)

Magnetic properties of the single magnetic domain particles of $Sm_2Fe_{17}N_x$ compounds 235
K. Kobayashi, T. Iriyama, T. Yamaguchi (Fuji, Japan), H. Kato and Y. Nakagawa (Sendai, Japan)

Magnetic properties of R_2T_{17}-type $Dy_2Fe_{17-x}Al_x$ compounds 239
K. Itoh, N. Ohkubo, K. Kanematsu (Chiba, Japan) and K.-I. Kobayashi (Kanagawa, Japan)

Magnetometry and X-ray diffraction studies of the rare-earth alloys $Y_{1.2}Ce_{0.8}Fe_{17}$ and $Pr_{1.5}Ce_{0.5}Fe_{17}$ 242
S.-G. Jin, L.-M. Liu and Y.-L. Huang (Shanghai, China)

Analytical electron microscopy of corrosion-resistant Nd–(Fe, Co, Ni, Ti)–B magnets 245
Y. Kitano, J. Shimomura, M. Shimotomai, Y. Fukuda, A. Fujita and Y. Ozaki (Chiba, Japan)

Magnetic analysis of La–Fe dilute alloys 249
K. Siratori (Osaka, Japan), E. Kita (Ibaraki, Japan), S. Kondo (Nagasaki, Japan), M. Tanaka (Sendai, Japan) and H. Ino (Tokyo, Japan)

Nuclear magnetic resonance study of $(Y_{1-x}R_x)_2Co_{14}B$ compounds ($R \equiv Gd$, Tb) 252
T. Myojin, M. Hayashi (Takamatsu, Japan), T. Ohno (Tokushima, Japan), Y. Imaeda, T. Ushida, A. Tsujimura (Shido, Japan) and T. Hihara (Hiroshima, Japan)

Magnetic properties of monocrystalline Nd_2 (Fe, Co, Ni)$_{14}B$. 256
Y. Fukuda, A. Fujita and M. Shimotomai (Chiba, Japan)

Nd–Fe–B anisotropic magnet powders produced by the HDDR process 259
R. Nakayama and T. Takeshita (Saitama, Japan)

Formation of $ThMn_{12}$ structure by heat treatment of mechanically alloyed Nd–Fe–Tm alloys (TM≡Ti, V, Mo) and hard magnetic properties of their nitrides 262
T. Itsukaichi, M. Umemoto, I. Okane (Aichi, Japan) and S. Hirosawa (Osaka, Japan)

Magnetic properties of $PuNi_3$-type hydrides $Y_{1-x}Zr_xCo_{2.9}H_y$ 266
K. Kanematsu, Y. Horikawa, S. Tokita, M. Sawada (Chiba, Japan) and K. I. Kobayashi (Kanagawa, Japan)

Effect of mechanical grinding and mechanical alloying on Sm_2Fe_{17} 268
K. Majima, N. Niimi, S. Katsuyama, H. Nagai (Osaka, Japan) and H. Tomizawa (Mishima, Japan)

Plasma nitriding of Sm_2Fe_{17} 271
K.-I. Machida, E. Yamamoto and G.-Y. Adachi (Osaka, Japan)

Symposium M: New Materials, Phenomena and Approach

Sintering behaviour of ceria-doped tetragonal zirconia powders crystallized and dried using supercritical alcohols 274
T. Sato, K. Dosaka (Sendai, Japan), M. Ishitsuka, E. M. Haga (Funabashi, Japan) and A. Okuwaki (Sendai, Japan)

Formation of yttrium oxide by electrodeposition in organic electrolyte 277
Y. Matsuda, K. Imahashi, N. Yoshimoto, M. Morita (Ube, Japan) and M. Haga (Kobe, Japan)

Effect of LiF addition on the preparation of transparent Y_2O_3 by the vacuum hot pressing method 280
K. Majima, N. Niimi, M. Watanabe, S. Katsuyama and H. Nagai (Osaka, Japan)

Effects of rare earth elements on the crystallization of the glass-ceramic Na^+ superionic conductor Narpsio-V 283
K. Yamashita, M. Tanaka, T. Kakuta, M. Matsuda and T. Umegaki (Tokyo, Japan)

Preparation of LaB_6 single crystals by the floating zone method 286
S. Otani, S. Honma and Y. Ishizawa (Ibaraki, Japan)

Epitaxial growth of yttrium silicide YSi_{2-x} on (100) Si 289
Y. K. Lee, N. Fujimura and T. Ito (Osaka, Japan)

Magnetization process of DyB_6 single crystal 292
S. Kunii (Sendai, Japan)

Magnetic properties and crystal structure of $ErRh_3{}^{11}B_2$ 295
J. Bernhard (Borlänge, Sweden), I. Higashi (Saitama, Japan), P. Granberg, L.-E. Tergenius, T. Lundström (Uppsala, Sweden), T. Shishido (Sendai, Japan), A. Ruokolainen (Borlänge, Sweden), H. Takei (Tokyo, Japan) and T. Fukuda (Sendai, Japan)

Production method of cerium oxide with high storage capacity of oxygen and its mechanism. 298
T. Murota, T. Hasegawa, S. Aozasa, H. Matsui and M. Motoyama (Hyogo, Japan)

The crystal structure of CeTSn (T≡Ni, Pd and Pt) 300
I. Higashi, K. Kobayashi (Saitama, Japan), T. Takabatake (Hiroshima, Japan) and M. Kasaya (Sendai, Japan)

Neutron diffraction studies of metamagnetic phase transitions in $TbRu_2Si_2$ and $DyRu_2Si_2$ 303
S. Kawano (Osaka, Japan), T. Shigeoka, N. Iwata (Yamaguchi, Japan), S. Mitani and Ridwan (Osaka, Japan)

Energy dispersive X-ray diffraction analysis of $NdBr_3$ at pressures up to 52 GPa. 306
J. R. Peterson (Knoxville, TN, USA), S. Heathman and U. Benedict (Karlsruhe, Germany)

Magnetic-field-induced phase transition in the cerium monochalcogenide CeSe 309
A. Dönni, A. Oyamada, Y. Ohe, T. Suzuki (Sendai, Japan), K. Sugiyama, M. Date (Osaka, Japan), P. Fischer, A. Furrer (Villigen, Switzerland) and F. Hulliger (Zürich, Switzerland)

Author Index 313

Subject Index 315